





Grand Cafe INT 395




Grand Cafe INT 395
Jeti Tower INT 403
Mr. Junior INT 399
Nautiloo INT 401
Nice 2C® INT 397

Nice 2C® INT 397



Mr. Junior INT 399



Nautiloo INT 401



Jeti Tower INT 403



INT 994

INTERIOR LIGHTING
STAND ALONE GRAND CAFE

www.deltalight.com  DELTALIGHT®



GLOSSARIO
D'URBANITICA
GLOSSARIO
D'URBANITICA

Grand Cafe FT50





GRAND CAFE FT50**287 31 35**

INCL. 1 x SWITCH

INCL. 1 x CABLE 3 x 0.75mm² 2m

G53 / 230-240V / 50-60Hz / TE

3 x QR-LP111 35-50W


 IP20 850°C \varnothing 1,5 
ACCESSORIES  

CONE 111

CLIP / CONE 111 + FRONTGLASS 111

CLIP / CONE 111 + COLOUR FILTER 111

CLIP / CONE 111 + LENS 111



INT 996

INTERIOR  **LIGHTING**
STAND ALONE NICE 2C®

www.deltalight.com  DELTA LIGHT®













Nice 2C®

NICE 2C®**271 71 25**INCL. 1 x CABLE 2 x 0,75mm² 2m

DIMMING BY TOUCH DIM

G9 / 230-240V / 50-60Hz

 1 x QT14 25-40-60-75W










INT 398

INTERIOR LIGHTING
STAND ALONE Mr. JUNIOR


www.deltalight.com DELTALIGHT®



Mr. Junior

Mr. JUNIOR **226 31 30** 

◇ = A

INCL. CABLE 3 x 0.75mm² 2m + SWITCH
E27Ls / 230-240V / 50-60Hz 1 x A60 15-25-40W 1 x TC-TSE 15-20W 1 x TCA-SE 5-7-10-15W   IP20 650°C  

INT 400

INTERIOR LIGHTING
STAND ALONE NAUTILOO

www.deltalight.com DELTALIGHT®



**NAUTILOO****285 00 180**




INCL. 1 x SWITCH

INCL. 1 x CABLE 3 x 0.75mm² 2m

DIMMING BY SWITCH DIM

CORIAN® BODY

G5 / 230-240V / 50-60Hz / 1 x 1-MULTI-EVG DIM

 1 x T16 35W 1 x T16 80W  IP20 850°C **Nautiloo**AWARD
DESIGN PLUS
light+building

INT 402

INTERIOR LIGHTING
STAND ALONE JETI TOWER

www.deltalight.com DELTALIGHT®





Jeti Tower

JETI TOWER

271 64 25 ED




INCL. 1 x SWITCH

INCL. 1 x CABLE 3 x 0.75mm² 2m

DIMMING BY SWITCH DIM

G5 / 230-240V / 50-60Hz / 1 x 2-EVG DIM

2 x T16 54W

   IP20 850°C 